

# DIAMOND DRILL LOG

Hole ID : PM-08-01

HOLE ID : <b>PM-08-01</b>	Started : <b>October 19, 2008</b>	Completed : <b>October 26, 2008</b>	Drilled by : <b>Chenier Drilling</b>																														
Project : <b>Magpie</b>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th colspan="2">Dip Test: N/A</th> <th colspan="4">Test type :</th> </tr> <tr> <th colspan="6" style="text-align: center;">Depth (m)</th> </tr> <tr> <td>Collar</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Dip (°)</td> <td>60</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Azimuth (°)</td> <td>N090</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		Dip Test: N/A		Test type :				Depth (m)						Collar						Dip (°)	60					Azimuth (°)	N090					Length (m) : <b>398.50 m</b> Total drilled length : <b>398.50 m</b> Horizontal projection : <b>199.25 m</b> Vertical projection : <b>345.11 m</b> Overburden : <b>1.50 m</b> Casing : <b>3.00 m</b> In <input type="checkbox"/> Out <input checked="" type="checkbox"/>
Dip Test: N/A		Test type :																															
Depth (m)																																	
Collar																																	
Dip (°)	60																																
Azimuth (°)	N090																																
Topographic map : <b>22 P/08</b>	Core Size : <b>AX</b>																																
Location : Nad : <b>83 27 UTM Zone : 20 U</b>	Reason for drilling																																
Easting (UTM East) : <b>425819 425757</b>																																	
Northing (UTM North) : <b>5693316 5693099</b>																																	
Élévation : <b>760 m</b>																																	

Depth (m)		Width (m)	Structure			DESCRIPTION	RQD				SAMPLE				ASSAYS			
From	To		Type	CA (°)	From		to	>10 cm	%	N°	From	To	D	Width	Fe <sub>2</sub> O <sub>3</sub>	TiO <sub>2</sub>	Cr <sub>2</sub> O <sub>3</sub>	Photo
							4.0	7.0	2.86	95.3	140801	3.0	5.5		2.50	56.10	10.20	1.87
							7.0	10.0	3.00	100.0	140802	5.5	7.6		2.07	56.10	9.78	1.89
<b>0.0</b>	<b>3.0</b>	<b>3.00</b>				<b>Overburden + casing</b>	10.0	13.0	2.91	97.0	140803	7.6	10.2		2.67	55.80	10.05	1.88
							13.0	16.0	2.93	97.7	140804	10.2	13.0		2.76	56.50	10.25	1.89
<b>3.0</b>	<b>290.5</b>	<b>287.50</b>				<b>Massive magnetite layer</b>	16.0	19.0	3.00	100.0	140805	13.0	15.9		2.86	58.00	10.20	1.89
						Black to steel grey, fine-grained, equigranular, contain locally cm to dm leuco to melanocratic norite veins and/or xenolithic cluster, calcite ± chlorite jointing	19.0	22.0	3.00	100.0	140806	15.9	18.7		2.88	57.40	10.40	1.92
						Minerals: magnetite (90%), plagioclase feldspar (4-5%), pyroxene (4-5%), biotite (tr. <1%), calcite (tr. <1%), chlorite (tr.), pyrite (tr.).	22.0	23.5	1.35	90.0	140807	18.7	21.4		2.70	58.00	10.10	1.87
							23.5	26.5	3.00	100.0	140808	21.4	24.1		2.69	58.10	10.35	1.91
incl.							26.5	29.5	2.55	85.0	140809	24.1	27.0		2.90	58.40	10.35	1.92
							29.5	32.5	2.96	98.7	140810	27.0	29.9	3.81	2.87	60.50	9.80	1.94
28.5	29.5	1.0	Joint	8/m	10		32.5	35.5	3.00	100.0	140811	29.9	32.5		2.60	58.40	10.50	1.96
30.0	30.6	0.6	Joint	5/m	20,80	Note: from 185.0 m to 290.5 m more massive iron-titanium oxide intersect.	35.5	38.5	2.80	93.3	140812	32.5	35.3		2.77	61.20	9.91	1.95
36.7	37.7	1.0					38.5	41.5	2.95	98.3	140813	35.3	38.1		2.80	58.60	10.50	1.95
<b>50.2</b>	<b>50.4</b>	<b>0.2</b>	<b>Vein</b>		<b>5</b>	<b>Leuconorite</b>	41.5	44.5	3.00	100.0	140814	38.1	40.9		2.82	59.00	10.55	1.95
46.3	52.0	5.7	Joint	3/m	40-45		44.5	47.5	3.00	100.0	140815	40.9	43.6		2.67	59.80	10.60	1.94
52.0	57.0	5.0	Joint	7/m	50-70		47.5	50.5	2.86	95.3	140816	43.6	46.4		2.79	61.50	10.30	2.01
57.0	63.0	6.0	Joint	4/m	10,60		50.5	53.5	2.78	92.7	140817	46.4	49.1		2.78	60.20	10.65	1.94
63.0	68.5	5.5	Joint	2/m	30		53.5	56.5	2.90	96.7	140818	49.1	51.8		2.69	57.70	10.35	1.86
<b>68.6</b>	<b>68.8</b>	<b>0.2</b>	<b>Vein</b>		<b>10</b>	<b>Magnetite bearing leuconorite</b>	56.5	59.5	2.95	98.3	140819	51.8	54.5		2.68	63.50	10.40	2.04
69.1	69.1	0.1	Vein		15-20	idem	59.5	62.5	2.65	88.3	140820	54.5	57.3		2.78	62.60	10.20	1.99
69.3	69.5	0.3	Vein		10	idem	62.5	65.5	3.00	100.0	140821	57.3	60.1		2.81	60.50	11.10	2.04
74.5	77.5	3.0	Joint	5/3m	25-40		65.5	68.5	2.85	95.0	140822	60.1	62.9		2.78	61.80	10.40	2.03
77.5	80.5	3.0	Joint	11/3m	45-50		68.5	71.5	3.00	100.0	140823	62.9	65.6		2.73	62.00	11.00	1.98
80.5	83.5	3.0	Joint	27/3m	30-50		71.5	74.5	2.95	98.3	140824	65.6	68.5	4.20	2.90	62.50	11.15	2.01
83.5	86.5	3.0	Joint	9/3m	30-70		74.5	77.5	2.90	96.7	140825	68.5	71.2		2.70	58.90	9.66	1.87
86.5	88.0	1.5	Joint	4/1.5m	60-70		77.5	80.5	3.00	100.0	140826	71.2	73.9		2.74	55.80	9.42	1.86
88.0	91.0	3.0	Joint	2/3m	45-50		80.5	83.5	2.05	68.3	140827	73.9	76.6		2.69	59.00	9.97	1.96
<b>88.0</b>	<b>88.2</b>	<b>0.2</b>	<b>Vein</b>		<b>10</b>	<b>Leuconorite with approx. 40% magnetite</b>	83.5	86.5	2.80	93.3	140828	76.6	79.4	3.99	2.77	57.70	10.35	1.98
88.5	88.6	0.1	Vein		10	idem	86.5	88.0	1.50	100.0	140829	79.4	82.3		2.92	60.30	10.55	1.99
91.0	94.0	3.0	Joint	1/3m	30		88.0	91.0	2.97	99.0	140830	82.3	85.2		2.91	60.20	10.75	2.02
<b>94.1</b>	<b>94.3</b>	<b>0.12</b>	<b>Vein</b>		<b>20</b>	<b>Leuconorite with magnetite blebs</b>	91.0	94.0	3.00	100.0	140831	85.2	88.0		2.77	61.50	10.90	2.02
94.0	97.0	3.0	Joint	11/3m	30		94.0	97.0	2.95	98.3	140832	88.0	90.9		2.94	59.50	10.55	1.80
97.0	100.0	3.0	Joint	2/3m	30		97.0	100.0	3.00	100.0	140833	90.9	93.8		2.86	59.70	10.60	1.61
100.0	103.0	3.0	Joint	3/3m	30		100.0	103.0	3.00	100.0	140834	93.8	96.8		2.95	56.60	10.05	1.48
103.0	106.0	3.0	Joint	2/3m	70		103.0	106.0	2.85	95.0	140835	96.8	99.5		2.75	59.60	10.60	1.55

# DIAMOND DRILL LOG

Hole ID : PM-08-01

Depth (m)		Width (m)	Structure		DESCRIPTION	RQD				SAMPLE				ASSAYS				
From	To		Type	CA (°)		From	to	>10 cm	%	N°	From	To	D	Width	Fe <sub>2</sub> O <sub>3</sub>	TiO <sub>2</sub>	Cr <sub>2</sub> O <sub>3</sub>	Photo
106.0	109.0	3.0	Joint 3/3m	10,80		106.0	109.0	3.00	100.0	140836	99.5	102.3	4.14	2.78	59.30	10.60	1.57	_0328_329
109.0	112.0	3.0	Joint 1/3m	80		109.0	112.0	3.00	100.0	140837	102.3	105.0		2.72	61.90	10.65	1.63	
<b>112.0</b>	<b>112.3</b>	<b>0.3</b>	<b>Vein</b>		<b>Leuconorite with magnetite blebs</b>	112.0	115.0	3.00	100.0	140838	105.0	107.8		2.75	63.40	10.55	1.65	
118.0	121.0	3.0	Joint 10/3m	20		115.0	118.0	3.00	100.0	140839	107.8	110.5		2.78	63.40	10.95	1.69	100_0332_333
121.0	122.5	1.5	Joint 1/1.5m	20	<b>Leuconorite/norite veins and cluster as per the following</b>	118.0	121.0	2.85	95.0	140840	110.5	113.3		2.77	61.20	10.15	1.55	
122.5	125.5	3.0	Joint 5/3m	40	<b>intersects:</b>	121.0	122.5	1.50	100.0	140841	113.3	116.0		2.65	64.30	10.85	1.68	
123.5	124.3	0.8	Vein	10	(135.2-135.3 m, 135.75-135.95 m, 147.28-147.35 m (30° a/s), 147.45-	122.5	125.5	2.90	96.7	140842	116.0	118.7		2.75	59.30	10.35	1.59	
125.5	128.5	3.0	Joint 5/3m	40	147.65 m, 148.80 m (45° a/s), 148.88 m (45°), 150.10-150.43 m	125.5	128.5	2.95	98.3	140843	118.7	121.5		2.76	59.10	10.25	1.54	
128.6	128.7	0.1	Vein	60	(60° a/s), 152.75 (60° a/s), 153.50-153.55 m (70° a/s),	128.5	131.5	2.75	91.7	140844	121.5	124.2		2.69	60.70	10.20	1.54	
128.5	131.5	3.0	Joint 8/3m	5-20	156.48-156.52 m (70° a/s), 156.9 (30° a/s), 157.12-157.17 m (30° a/s),	131.5	134.5	2.95	98.3	140845	124.2	126.7		2.55	61.70	10.20	1.58	
131.5	134.5	3.0	Joint 9/3m	20,70	157.26-157.35 m (30° a/s), 160.4-160.45 m (70° a/s), 162.06-162.5 m,	134.5	137.5	2.93	97.7	140846	126.7	129.3		2.62	62.30	10.70	1.64	
134.5	137.5	3.0	Joint 11/3m	70	162.6 m, 170.37-170.42 m (70° a/s), 173.5-173.6 m (60° a/s), 179.10	137.5	140.5	2.45	81.7	140847	129.3	132.0	4.02	2.68	63.70	10.90	1.66	
137.5	140.5	3.0	Joint 10/3m	45-50	m, 179.80-179.83 m (80° a/s), 180.77-180.81 m (80° a/s), 181.08-	140.5	143.5	2.15	71.7	140848	132.0	134.7		2.70	61.70	10.75	1.64	
140.5	143.5	3.0	Joint 20/3m	20-45	181.2 m (15° a/s), 184.43-184.63 m (45° a/s), 184.17-184.34 m	143.5	146.5	3.00	100.0	140849	134.7	137.5		2.80	63.20	10.70	1.59	
143.5	146.5	3.0	Joint 5/3m	10-40	(20° a/s), 186.4-186.7m,188.78-188.84 m (30° a/s), 190.9-190.95 m	146.5	149.5	2.85	95.0	140850	137.5	140.1		2.57	63.10	10.65	1.57	
146.5	149.5	3.0	Joint 6/3m	10-30	(50° a/s), 193.93-194.0 m (90° a/s), 194.55-194.65 m,	149.5	152.5	3.00	100.0	140851	140.1	142.9		2.80	63.60	10.65	1.58	
149.5	152.5	3.0	Joint 1/3m	60	195.85 m (90° a/s), 198.66 m, 201.65 m, 204.95-205 m (90° a/s),	152.5	155.5	3.00	100.0	140852	142.9	145.6		2.73	64.40	10.75	1.59	
152.5	155.5	3.0	Joint 10/3m	25-30	205.95-206.0 m (60° a/s), 206.4 m (90° a/s), 210.75,210.95 m,	155.5	158.5	3.00	100.0	140853	145.6	148.4	4.10	2.82	61.20	10.60	1.55	
155.5	158.5	3.0	Joint 4/3m			158.5	161.5	2.95	98.3	140854	148.4	151.3		2.90	64.50	11.00	1.58	
158.5	161.5	3.0	Joint 3/3m	70		161.5	164.5	2.97	99.0	140855	151.3	154.1		2.75	63.80	11.05	1.60	
161.5	164.5	3.0	Joint 8/3m	45, 90		164.5	167.5	3.00	100.0	140856	154.1	156.7		2.63	65.40	11.00	1.57	
164.5	167.5	3.0	Joint 7/3m	25		167.5	170.5	3.00	100.0	140857	156.7	159.3		2.62	59.60	10.30	1.46	
167.5	170.5	3.0	Joint 2/3m	30		170.5	173.5	3.00	100.0	140858	159.3	161.9		2.54	60.50	10.50	1.49	
170.5	173.5	3.0	Joint 4/3m	50		173.5	176.5	2.55	85.0	140859	161.9	164.5		2.64	59.40	10.50	1.46	
173.5	176.5	3.0	Joint 10/3m	30		176.5	179.5	3.00	100.0	140860	164.5	167.3		2.75	61.60	10.75	1.50	
176.5	179.5	3.0	Joint 3/3m	55		179.5	182.5	3.00	100.0	140861	167.3	169.9	3.98	2.68	59.60	10.40	1.43	
179.5	182.5	3.0	Joint 0/3m			182.5	185.5	2.97	99.0	140862	169.9	172.6		2.62	59.20	10.30	1.39	
182.5	185.5	3.0	Joint 3/3m	10		185.5	188.5	2.85	95.0	140863	172.6	175.0		2.45	60.60	10.45	1.27	
185.5	188.5	3.0	Joint 5/3m	10, 70		188.5	191.5	1.00	33.3	140864	175.0	177.7		2.65	66.50	11.20	1.40	
188.5	191.5	3.0	Joint 12/3m	60		191.5	194.5	1.70	56.7	140865	177.7	180.4		2.78	63.60	10.95	1.32	
191.5	194.5	3.0	Joint 15/3m	10, 65		194.5	197.5	2.70	90.0	140866	180.4	183.3		2.87	62.10	10.55	1.31	
194.5	197.5	3.0	Joint 7/3m	40		197.5	200.5	2.40	80.0	140867	183.3	186.1	4.17	2.75	60.10	10.55	1.32	
197.5	200.5	3.0	Joint 9/3m	30		200.5	203.5	2.90	96.7	140868	186.1	188.7		2.60	65.40	11.60	1.49	
200.5	203.5	3.0	Joint 3/3m	0, 80		203.5	206.5	2.50	83.3	140869	188.7	191.4		2.77	65.40	11.00	1.41	
203.5	206.5	3.0	Joint 8/3m	0, 30		206.5	209.5	3.00	100.0	140870	191.4	193.7		2.23	66.20	11.20	1.44	
206.5	209.5	3.0	Joint 3/3m	30		209.5	212.5	2.90	96.7	140871	193.7	196.2		2.50	63.20	10.80	1.36	
209.5	212.5	3.0	Joint 11/3m	45		212.5	215.5	2.40	80.0	140872	196.2	198.8		2.65	64.50	11.70	1.37	
212.5	215.5	3.0	Joint 6/3m	80, 30		215.5	218.5	2.90	96.7	140873	198.8	201.4		2.63	65.00	10.85	1.41	
215.5	218.5	3.0	Joint 3/3m	45, 30		218.5	221.5	2.50	83.3	140874	201.4	204.1		2.64	63.80	10.70	1.38	
218.5	221.5	3.0	Joint 6/3m	30		221.5	224.5	2.90	96.7	140875	204.1	206.8		2.73	64.00	11.65	1.37	
221.5	224.5	3.0	Joint 9/3m	30		224.5	227.5	2.75	91.7	140876	206.8	209.5		2.70	64.20	10.80	1.35	

# DIAMOND DRILL LOG

Hole ID : PM-08-01

Depth (m)		Width (m)	Structure		DESCRIPTION	RQD				SAMPLE				ASSAYS					
From	To		Type	CA (°)		From	to	>10 cm	%	N°	From	To	D	Width	Fe <sub>2</sub> O <sub>3</sub>	TiO <sub>2</sub>	Cr <sub>2</sub> O <sub>3</sub>	Photo	
224.5	227.5	3.0	Joint	10/3m	0-20														
227.5	230.5	3.0	Joint	13/3m	20-25					140877	209.5	212.2		2.68	62.80	11.35	1.31	. 350	
230.5	233.5	3.0	Joint	12/3m	40					140878	212.2	215.0	4.58	2.85	59.80	11.15	1.20		
233.5	236.5	3.0	Joint	32/3m	30-45					140879	215.0	217.7		2.67	57.60	11.05	1.16		
236.5	239.5	3.0	Joint	7/3m	30, 10					140880	217.7	220.3		2.60	58.10	11.00	1.21		
239.5	242.5	3.0	Joint	10/3m	40	<b>Leuconorite/norite veins and cluster as per the following</b>				140881	220.3	222.8		2.45	64.10	10.75	1.26	100_0352-353	
242.5	245.5	3.0	Joint	5/3m	50	<b>intersects:</b>				140882	222.8	225.5		2.75	64.70	10.85	1.31		
245.5	248.5	3.0	Joint	9/3m	25	225.15 m (90° a/s), 226.43 m(90° a/s), 227.2 m (90° a/s), 229.05 m				140883	225.5	228.1		2.63	63.20	11.40	1.26		
248.5	251.5	3.0	Joint	2/3m	15	(70° a/s), 229.2 m (70° a/s), 229.95 m (90° a/s), 232.3 m (60° a/s),				140884	228.1	230.8		2.62	61.40	11.20	1.24		
251.5	254.5	3.0	Joint	2/3m	10	233.10 m (70° a/s), 236.65 m (90° a/s), 240.6-240.8 m (70° a/s), 243.3				140885	230.8	233.6	4.31	2.80	62.70	11.65	1.25		
254.5	257.5	3.0	Joint	0/3m		m (90° a/s), 244.88 m (90° a/s), 248.3-248.4 m (50° a/s), 248.67-248.				140886	233.6	236.3		2.75	59.80	11.50	1.30		
257.5	260.5	3.0	Joint	4/3m	25	75 m (90° a/s), 250.28-250.42 m, 257.75 m (70° a/s),				140887	236.3	239.0		2.70	57.80	11.15	1.33		
260.5	263.5	3.0	Joint	12/3m	30, 50					140888	239.0	241.6		2.60	64.10	11.10	1.36		
263.5	266.5	3.0	Joint	13/3m	20	<b>Note: Lost core from 245.33-245.50 m (0.17 m)</b>				140889	241.6	244.2	4.13	2.55	65.80	11.45	1.43	100_0355-356	
266.5	269.5	3.0	Joint	3/3m	45					140890	244.2	246.9		2.70	65.60	11.70	1.47		
269.5	272.5	3.0	Joint	2/3m	45					140891	246.9	249.7		2.85	61.20	11.15	1.38		
272.5	275.5	3.0	Joint	3/3m	45					140892	249.7	252.7		2.95	60.40	11.05	1.36		
275.5	278.5	3.0	Joint	16/3m	60					140893	252.7	255.5		2.85	66.10	11.10	1.49		
278.5	281.5	3.0	Joint	1/3m						140894	255.5	258.4	4.27	2.85	66.00	11.10	1.46		
281.5	284.5	3.0	Joint	0/3m						140895	258.4	261.4		3.00	65.80	11.05	1.38		
284.5	287.5	3.0	Joint	0/3m						140896	261.4	264.2		2.80	62.40	11.40	1.34		
287.5	290.5	3.0	Joint	0/3m						140897	264.2	267.0		2.80	65.30	12.70	1.50	100_0358-359	
<b>290.5</b>	<b>305.5</b>	<b>15.0</b>				<b>Diabase dyke</b>				140898	267.0	269.5		2.55	66.90	11.75	1.39		
						Medium grey, very fine grained, aphyric on both sides at the contact				140899	269.5	272.2	4.20	2.70	67.30	11.85	1.41		
						and fine to medium grained in the middle, massive (unfoliated to lightly				140900	272.2	274.9		2.70	66.80	11.20	1.42		
						foliated), magnetic, brittle. Approximately 1 joint per 3 m in the dyke.				140901	274.9	277.7		2.75	66.90	11.70	1.48		
										140902	277.7	280.4		2.75	66.30	11.20	1.41		
										140903	280.4	283.2		2.75	67.00	11.95	1.41		
<b>305.5</b>	<b>306.6</b>					<b>Massive magnetite layer</b>				140904	283.2	285.9		2.75	66.90	12.15	1.43		
<b>306.6</b>	<b>310.5</b>	<b>3.9</b>				<b>Diabase dyke</b>				140905	285.9	288.7		2.82	67.00	11.80	1.40	100_0361, 362	
308.5	311.5	3.0	Joint	11/3m	25-40	upper contact @ 30° a/s				140906	288.7	290.5		1.78	62.40	11.50	1.39		
311.5	314.5	3.0	Joint	3/3m	30	Lower contact @ 75° a/s				140907	290.5	291.8	2.80	1.30	16.55	3.50	0.08		
314.5	317.5	3.0	Joint	13/3m	20					140908	303.9	305.3		1.35	12.85	3.35	0.05		
317.5	320.5	3.0	Joint	3/3m	20					140909	305.3	306.6		1.30	63.00	11.40	1.25		
<b>310.5</b>	<b>329.2</b>	<b>18.8</b>				<b>Massive magnetite layer</b>				140910	306.6	308.0		1.45	15.15	4.04	0.01		
320.5	323.5	3.0	Joint	4/3m	10					140911	309.0	310.4		1.45	17.05	4.41	0.06		
323.5	326.5	3.0	Joint	0/3m						140912	310.4	313.7	4.42	3.25	62.20	11.25	1.24		
326.5	329.5	3.0	Joint	2/3m	30					140913	313.7	316.6		2.90	61.60	11.10	1.23		
329.5	332.5	3.0	Joint	1/3m	50					140914	316.6	319.4		2.85	63.20	11.50	1.27		
332.5	335.5	3.0	Joint	0/3m															100_0364
<b>329.2</b>	<b>329.4</b>	<b>0.15</b>				<b>Diabase dyke</b>													

# DIAMOND DRILL LOG

Hole ID : PM-08-01

Depth (m)		Width (m)	Structure		DESCRIPTION	RQD				SAMPLE				ASSAYS				
From	To		Type	CA (°)		From	to	>10 cm	%	N°	From	To	D	Width	Fe <sub>2</sub> O <sub>3</sub>	TiO <sub>2</sub>	Cr <sub>2</sub> O <sub>3</sub>	Photo
335.5	338.5	3.0	Joint 5/3m	20, 45		343.0	346.0	1.50	50.0	140915	319.4	322.1		2.65	61.50	11.35	1.22	365
<b>329.4</b>	<b>340.8</b>	<b>11.5</b>			<b>Massive magnetite layer</b>	346.0	349.0	2.80	93.3	140916	322.1	324.8		2.70	62.00	11.50	1.24	
338.5	341.5	3.0	Joint 1/3m	5		349.0	352.0	2.75	91.7	140917	324.8	327.4		2.65	63.20	11.70	1.24	100_0368, 369
<b>340.8</b>	<b>342.6</b>	<b>1.8</b>			<b>Diabase dyke</b>	352.0	355.0	2.75	91.7	140918	327.4	329.9	4.11	2.48	62.60	11.30	1.21	
341.5	343.0	1.5	Joint 3/1.5m	45	upper contact @ 50° a/s	355.0	358.0	2.90	96.7	140919	329.9	332.6		2.72	62.70	11.20	1.17	
343.0	346.0	3.0	Joint 13/3m	30-40	Lower contact @ 50° a/s	358.0	361.0	2.75	91.7	140920	332.6	335.4		2.80	61.20	11.20	1.14	
346.0	349.0	3.0	Joint 3/3m	35		361.0	362.5	1.00	66.7	140921	335.4	338.1		2.70	62.30	10.95	1.15	100_0372, 373
						362.5	365.5	3.00	100.0	140922	338.1	340.9		2.75	59.90	11.00	1.07	
<b>342.6</b>	<b>372.3</b>	<b>29.7</b>			<b>Massive magnetite layer</b>	365.5	368.5	2.97	99.0	140923	340.9	342.6		1.75	18.80	4.58	0.08	100_0375, 376
						368.5	371.5	2.80	93.3	140924	342.6	345.4		2.80	61.10	11.10	1.07	
349.0	352.0	3.0	Joint 3/3m	20-30		371.5	374.5	1.80	60.0	140925	345.4	349.0		3.55	63.80	11.00	1.12	100_0378, 379
352.0	355.0	3.0	Joint 3/3m	80		374.5	377.5	2.10	70.0	140926	349.0	351.7		2.75	64.30	11.05	1.11	
355.0	358.0	3.0	Joint 1/3m	80		377.5	380.5	2.80	93.3	140927	351.7	354.5		2.80	63.40	11.05	1.10	
358.0	361.0	3.0	Joint 4/3m	20		380.5	383.5	2.85	95.0	140928	354.5	357.2	4.14	2.70	63.50	10.85	1.08	
361.0	362.5	1.5	Joint 25/1.5	20-30		383.5	386.5	2.88	96.0	140929	357.2	360.0		2.75	56.30	10.45	0.98	
362.5	365.5	3.0	Joint 3/3m	30		386.5	389.5	2.80	93.3	140930	360.0	363.0		3.05	61.40	11.20	1.03	
365.5	368.5	3.0	Joint 0/3m			389.5	392.5	3.00	100.0	140931	363.0	366.4		3.40	61.00	10.90	1.02	
368.5	371.5	3.0	Joint 4/3m	40		392.5	395.5	3.00	100.0	140932	366.4	369.1	3.92	2.72	58.60	10.45	0.99	
						395.5	398.5	3.00	100.0	140933	369.1	372.3		3.13	54.60	9.99	0.93	100_0378, 379
<b>372.3</b>	<b>378.5</b>	<b>6.3</b>			<b>Diabase dyke</b>					140934	372.3	373.3		1.00	15.75	4.08	0.01	
					Upper contact @ ?					140936	378.6	379.4		0.83	47.80	9.24	0.82	
					Lower contact @ 30° a/s					140937	379.4	382.5		3.12	48.60	9.01	0.81	
										140938	382.5	385.6		3.05	47.00	9.12	0.81	100_0378, 379
<b>378.5</b>	<b>379.4</b>	<b>0.9</b>			<b>Massive magnetite layer (90% oxides)</b>					140939	385.6	386.9		1.38	14.20	3.77	0.03	
										140940	386.9	390.2	3.39	3.27	39.90	7.52	0.60	
<b>379.4</b>	<b>385.5</b>	<b>6.1</b>			<b>Massive to semi-massive magnetite layer (70% oxides)</b>					140941	390.2	390.8		0.55	9.74	1.54	0.10	
										140942	390.8	392.3		1.55	32.00	6.07	0.40	100_0378, 379
<b>385.5</b>	<b>386.9</b>	<b>1.4</b>			<b>Diabase dyke</b>					140943	392.3	394.1	2.66	1.75	11.60	2.33	0.02	
					Upper contact @ 20° a/s													100_0378, 379
					Lower contact @ 20° a/s													
<b>386.9</b>	<b>390.2</b>	<b>3.3</b>			<b>Massive to semi-massive magnetite layer (50-60% oxides)</b>													
					Oxides forming the matrix													
<b>390.2</b>	<b>390.8</b>	<b>0.6</b>			<b>Granitic pegmatite dyke</b>													100_0378, 379
<b>390.8</b>	<b>392.3</b>	<b>1.6</b>			<b>Massive to semi-massive magnetite layer (50-60% oxides)</b>													
					Oxides forming the matrix													
<b>392.3</b>	<b>398.5</b>	<b>6.2</b>			<b>Anorthosite to monzonite</b>													100_0378, 379
	<b>398.5</b>				<b>End of hole</b>													